

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|--|------------------|---------|------------------|
| S1 | 26 | "2662045" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/09/25 16:26 |
| S2 | 1054 | 219/243.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2006/09/20 13:09 |
| S3 | 12 | "6,647,328" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2006/09/20 13:12 |
| S4 | 7 | ("2647072" "2662045" "3049465" "3268846" "3468747" "3506519" "4416713").PN. | US-PGPUB; USPAT | OR | ON | 2006/09/20 13:14 |
| S5 | 23 | ("3954541" "4067411" "4676025" "4702291" "4878050" "4897640" "0474301" "5092294" "5218367" "5223844" "5276728" "5311197" "5407514" "5435505" "5513244" "5586050" "5586457" "5718260" "5819189" "5832394" "5835868" "5917405" "6028537").PN. | US-PGPUB; USPAT | OR | ON | 2006/09/20 13:16 |
| S6 | 20 | ("3954541" "4067411" "4747301" "4878050" "4897640" "5218367" "5223844" "5276728" "5311197" "5407514" "5435505" "5513244" "5586050" "5586457" "5718260" "5819189" "5832394" "5835868" "5917405" "6028537").PN. | US-PGPUB; USPAT | OR | ON | 2006/09/20 13:17 |
| S7 | 89428 | ((heated or heating) near (wire or strip)) or (heating near element) | US-PGPUB; USPAT | OR | ON | 2006/09/20 13:19 |
| S8 | 47 | S7 near4 (coat\$3 near (resin or plastic or rubber)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2006/09/20 13:20 |

EAST Search History

| | | | | | | |
|-----|---------|--|---|----|----|------------------|
| S9 | 203742 | ((heated or heating) near (wire or strip)) or (heating near element) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2006/09/20 13:19 |
| S10 | 145 | S9 near4 (coat\$3 near (resin or plastic or rubber)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2006/09/20 13:26 |
| S11 | 1 | "10654992" | US-PGPUB; USPAT | OR | ON | 2006/09/20 13:27 |
| S12 | 0 | security near2 seal near2 system and ((mechanism or apparatus or device) near4 (activat\$3 or initait\$3 or start\$3) near2 (short\$3 near2 power)) and (conductive near metal wire) and (thin near metal near strip) and (signal or (mechanical near switch)) and (security near trigger near circuit) near4 ((activat\$3 or initait\$3 or start\$3) near2 short\$3) and heat\$3 and (tamper near detection) and (seal\$3 or unseal\$3 or reseal\$3) near4 (unions or joints) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/09/25 16:53 |
| S13 | 4594 | 219/243,544,535.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/09/25 16:53 |
| S14 | 3610 | 156/308.4,325,499.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/09/25 16:54 |
| S15 | 8147 | S13 or S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/09/25 16:54 |
| S16 | 1527462 | @pd>="20051223" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/09/25 16:54 |

EAST Search History

| | | | | | | |
|-----|-----|-------------|---|----|----|------------------|
| S17 | 136 | S15 and S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/09/25 16:54 |
|-----|-----|-------------|---|----|----|------------------|